# BANGLADESH RURAL ELECTRIFICATION BOARD

**PBS INSTRUCTION 100-12** 

FUNCTIONS OF BREB/PBS ENGINEERS/ OFFICERS/ INSPECTORS FOR ONSTRUCTION OF ELECTRIC NETWORK SYSTEM AND CIVIL WORKS

# BANGLADESH RURAL ELECTRIFICATION BOARD PBS INSTRUCTION 100-12

Approval Date: 07/03/1979 Revision Date: 19/02/2002

SUBJET: FUNCTIONS OF BREB/PBS ENGINEERS/ OFFICERS/ INSPECTORS FOR ONSTRUCTION OF ELECTRIC NETWORK SYSTEM AND CIVIL WORKS

### I. PURPOSE

This instruction set forth the BREB policy, procedure and guidelines in respect of functions of BREB/ PBS Engineers/Officers and Inspectors for construction of Electrical Network Systems and Civil Works.

#### II. GENERAL

A. While the BREB/ PBS Electrical, Architectural & Civil Engineering Consultants have contractual responsibility for the planning, design and construction supervision of PBS's Electrical Network Systems, Buildings and other facilities, it is the responsibility of the consultants to ensure that PBS's interests are protected and that the physical facilities which represent security of BREB loans are constituted in accordance with BREB approved plans, design and specifications. BREB will rely to a large extend on BREB Engineers and Officers to provide such assurance.

### B. Construction supervision of Electrical Network Systems, Buildings & other facilities

		URAL ELECTRIFI		
	TORS FOR ONST	TRUCTION OF ELE	ECTRIC NETWOR	K SYSTEM
	Revised by	Approved by	Page No.	Revision No.
Date of Origin	ICC VISCU Dy	Approved by	Tage INO.	Kevision No

(Md. Mozibur Rahman)

(Md. Duhidul Islam)

(Md. Mozammei HudMd. Abdul Khaleque) Consultant TADD proposultant TADD provi

(Md. Ahsanul Haque) Consultant TAPP, BREB

(Debasish Chakrabortty)
OD TAPP BREP

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

Aset C. (Roard) RRED

During construction of electrical network systems, buildings and other facilities, minimum percentage of inspection that shall be carried out by various levels of Engineers/Officers and Inspectors of BREB & PBS as follows:

Engineers/Officers & Inspectors of BREB	% Responsibility	Engineers/Officers & Inspectors of PBS	% Responsibility
Executive Engineer	10%	Sr. GM/ GM	5%
Assistant Engineer	25%	DGM(Tech-HQ)	20%
Sub-Assistant Engineer	50%	AGM(E&C)/ AGM(O&M)	25%
Inspectors	100%	AJE/JE	100%

C. During construction of electrical network systems, the inspection shall include but not limited to the followings:

## 1. Electrical Network Construction

- a) Adequacy of staking sheets and BOQ for construction against target;
- b) Check the staking sheets and BOQ prepared by consultant;
- c) Maintain the store and ensure to provide the materials for construction;
- d) Adherence to staking sheets for construction;
- e) Structure erection/ pole framing- adherence to construction drawing;
- f) Structure erection/ pole setting- framing- depth, tamping and back filling, alignment and cant, pole rack;
- g) Placement of anchors- depth and angle, tamping and back filling;

I	BANGLADESH R	URAL ELECTRIFI	ICATION BOARD	
PBS Instruction	100-12: FUNCTIO	ONS OF BREB/PBS	S ENGINEERS/ OF	FICERS/
		TRUCTION OF ELE	ECTRIC NETWOR	K SYSTEM
AND CI	VIL WORKS	74		
Date of Origin	Revised by	Approved by	Page No.	Revision No.
07/03/1979	BREB	BREB Board	Page 2 of 10	3
Revision Date: 14/	11/1996, 01/09/20	13, 19/02/2020		

(Md. Mozibur Rahman)

(Md. Duhidul Islam)

(Md. Mezammel Huq) (Md. Abdul Khaleque)
onsultant TAPP BRICOnsultant TAPP BREP

(Md. Ahsanul Haque) Consultant TAPP BREB (Debasish Chakrabority)
D TAPP BREE

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Karnrul Ahsan Mothe) Asst. Secy. (Board), BRER.

- h) Guy & Guy grip installation;
- i) Pole grounds- depth and connections;
- j) Conductor stringing- Proper use of stringing blocks, conductor reel mounting or turn table arrangement and protection against nicks.
- k) Conductor sag;
- l) Conductor grip, armor rod installation and ties;
- m) Adequacy of ground clearance and foreign conductor separation;
- n) Insulator handling to avoid chips and cracks;
- o) Transformer and other equipment installations and connections;
- p) Installation of hot line clamps;
- q) Correct use of bi-metallic connectors where required;
- r) Placement of service terminals on poles and structures. Service connections at transformer;
- s) Tightening of hardware- use lock washers where specified;
- t) Installation of disconnect switches and fuse cut0ut with proper fuse;
- u) Installation of lightening arresters;
- v) Proper clearance of high-ways, roads, lines and others at crossing points;
- w) Right of ways clearing of lines;
- x) Energization of constructed lines;
- y) Complete the close-out and arrange to settle the final bill of contract.

#### 2. Sub-station Construction

a) Site and land selection as close as possible to load center for sub-station;

I	BANGLADESH R	RURAL ELECTRIF	ICATION BOARD	
PBS Instruction	100-12: FUNCTION	ONS OF BREB/PBS	S ENGINEERS/ OF	FICERS/
INSPEC	TORS FOR ONS	TRUCTION OF ELE	ECTRIC NETWOR	K SYSTEM
AND CI	VIL WORKS			
Date of Origin	Revised by	Approved by	Page No.	Revision No.
07/03/1979	BREB	BREB Board	Page 3 of 10	3
Revision Date: 14/	11/1996, 01/09/20	13, 19/02/2020		

(Md Mozibur Rahman)

onsultant TADO DEED

(Md. Ansanul Haque) Consultant TAPP BREE (Md. Duhidul Islam) Consuitant TAPP BREI

(Debasish Chakrabority)

(Md: Mozammel Huq)

(Md. Abdul Khaloque) Consultant TAPP RREP

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Ramful Ahsan Mollik)
Asst Secy. (Board), BREB.

- b) Acquisition or purchase of land for sub-station;
- c) Site preparation and preparation of contour map;
- d) Adherence to plan and design of sub-station;
- e) Layout of sub-station;
- f) Piling (if needed) and foundations;
- g) Placement of structure and equipment;
- h) Stringing of bus bar and wiring of equipment;
- i) Connection of feeders;
- j) Fence installation;
- k) Grounding system installation and connection with fence;
- 1) Connection of source line;
- m) Connection of sub-station with source;
- n) Commissioning of sub-station and connect with load;
- o) Maintaining of slop of sub-station side and tariffing;
- p) Approach road of sub-station;
- q) Ensure settings of equipment for protection properly;
- r) Equipment inspection and all other installations and ensure the tests of oil as required;

#### 3. Civil Construction

During construction of Civil Works inspection shall include but not limited to the followings:

 Exercise control over time and implement project progress on the basis of implementation schedule;

PBS Instruction	100-12: FUNCTIO	URAL ELECTRIFI ONS OF BREB/PBS	ENGINEERS/ OF	FICERS/
	TORS FOR ONST VIL WORKS	TRUCTION OF ELF	ECTRIC NETWOR	K SYSTEM
Date of Origin	Revised by	Approved by	Page No.	Revision No
07/03/1979	BREB	BREB Board	Page 4 of 10	3
Revision Date: 14/	AD A CAUSED			

(Md. Mozibur Rahman)

(Md. Duhidul Islam)

(Md. Mozammel Huq)

(Md. Abdul Khaleque)

A

(Md. Ahsanul Haque) Consultant, TAPP, BREB (Debasish Chakrabortty)

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Kamrul Ahsan Mollik) Asst. Secy. (Board), RRFR.

- b) Strict adherence of the construction works to the plans, drawings and specifications and ensure that the standard specification are followed in construction work;
- c) Check the construction layout and plans and levels. Establish necessary data for contractor(s) to lay out the details of the works and make spot checks of construction locations and elevations established by the contractors.
- d) Issue necessary instruction to the contractor(s) for and on behalf of the BREB/ PBS, to ensure orderly progress of the work;
- e) Interpret the drawings, specifications and conditions of contract etc. to the contractor;
- f) Ensure against the use of inferior materials and workmanship;
- g) Collect samples of materials for test and conduct site test as and when required. Direct test on materials and workmanship as per construction contract send test report to XEN, BREB or Sr. GM/ GM, PBS for evaluation and compare with tested and previously approved sample;
- h) Record authorized deviation from contract drawings as and when approved by the Sr. GM/ GM, PBS or Zonal SE/authority, BREB;
- Record measurements of works which are completed and specifically of works which will be covered from view or excluded from excess.
- j) Maintain daily records of progress, materials, labors, machinery at site as well as Daily Log & Monthly basis comparison plan progress with real progress by S-Curve;
- k) Approve/ disapprove material brought to the site in predetermined approval format;
- Approve progressive construction work such as brick laying, plastering, form work, cleaning of aggregate, MS rod binding, cutting and placing of reinforcement, etc. as per approved format;

INSPEC		ONS OF BREB/PBS RUCTION OF ELE		
ANDCI	VIL WORKS			
Date of Origin		Approved by	Page No.	Revision No

(Md. Mozibur Rahman)

(Md. Duhidul Islam)

(Md. Mozemmei Huq)

(Md. Abdul Khaleque)

1

(Md. Ansanul Haque)

Consultant, TAPP, BREB

(Debasish Chakrabortty)
PD TAPP BREB

৬২১ তম বো**র্জ সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭**০০

(Kamrul Ahsan Mollie) Asst. Secy. (Board), BREB:

- m) Approve pour slip for RCC/ CC works submitted by contractor, when all preparatory work before pouring has been completed satisfactorily and previously been approved;
- n) Prepare as-built drawing of works as actually performed;
- o) Certify quality of material and construction works;
- p) Check contractor's and supplier's application for payment and scrutinize and certify the provisional final bill of the contractors and suppliers. Assist in preparation of payment documents and BREB/ PBS certification of such documents in association with accepted standard and requirement;
- q) Advise the BREB/ PBS in respect of extension of time to the contractor for completion of works if claimed by contractor.
- r) Completion of close-out and arrange to settle the final accounts with contractor.
   Maintain site note book of consultant;
- s) Arrange to make payment of R/A bill and approval of variation against actual work to be done due to change of works, correction of work, addition of works etc. before starting construction of that portion;
- t) Approval of final inventory, as-built drawings, contract close-out documents and arrange to make payment of final bill of contractor.

#### III. DETAIL INSPECTION REPORT FORMAT

#### 1. FOR ELECTRICAL NETWORK SYSTEM

While inspection is being carried out by BREB Engineer will review the observation of correction mentioned in BREB Form No. 341(enclosed) prepared by Consultant

PBS Instruction INSPEC	100-12: FUNCTIO	URAL ELECTRIFI DNS OF BREB/PBS TRUCTION OF ELE	ENGINEERS/ OF	FICERS/
D	Revised by	Approved by	Page No.	Revision No
Date of Origin	Tecvised by	rippiotes	1 450 110.	100 1151011 110

Md Mazibur Rahman) (Md I

(Md. Duhidul Islam)

(Md. Mozammel Huq) (Md. Abdul Kanadu onsultant TAPO RRET Consultant TAPO TR (Mu. Abdul Khaleque)
Consultant TAPP RREF

(Md. Ahsanul Haque) Consultant TAPP, BREE

Debasian Chakraborth

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

Asst Carrol Ahsan Mollik)

and will verify that rectification/ correction has been carried out by contractor accordingly.

## 2. FOR CIVIL WORKS

During inspection of civil works BREB of PBS Engineer will review inspection report prepared by consultant and will verify that rectification / correction has been made by the contractor in accordance with the report. If rectification / correction has not been carried out properly instruct the contractor for compliance.

PBS Instruction	100-12: FUNCTIO	URAL ELECTRIFI ONS OF BREB/PBS RUCTION OF ELF	ENGINEERS/ OF	FICERS/ K SYSTEM
AND CI	VIL WORKS			
AND CI Date of Origin	VIL WORKS  Revised by	Approved by	Page No.	Revision No

(Md Moziour Rahman) Onsultant TAPD BRED (Md. Duhldul Islam) Consuitant TAPP BRE (Md: Mozammel Huq) (Md. Abdul Khaleque)
Consultant TAPO OR Consultant TAPO RRER

(Md Absenul Hagne)

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Md. Ahsanul Haque)
Consultant TAPP BREB
(Debasish Chakrabortty)
PD. TAPP BREP

(Kamrul Ahsan Mollik) Asst Secv. (Roard) pour

### BANGLADESH RURAL ELECTRIFICATION BOARD

BREB F	orm	No.	341
--------	-----	-----	-----

## (Electrical Line Inspection for closing-out purpose)

PBS:	, Sub-Station:
W/O No	Voltage Level: 33KV/ 11KV/ 6.35KV/ LT
	(1) From Pole No to Pole No
	(2) From Pole No to Pole No
	(3) From Pole Noto Pole No

SI No.	List of Inspected Items	Deviation (Total Nos.)	List of Total Pole Nos.	Remarks
01	Poles		2	
02	Anchors			
03	Guys & Guy Accessories			
04	Grounding (Pole, Equipment & System)		N .	
05	Framing (Pol top Assembly)			
06	Equipment (Transformer)			
07	Equipment (ACR/OCR/Breaker)			
08	Equipment (Switching Devices)		M	
09	Equipment(Others)		17	
10	Conductor Stringing		8	
11	Conductor Accessories			
12	LT & Service .		,	
13	Right of Way		(E)	
14	Others-1		**	
15	Others-2	1.0		

Inspected by	Certified by	Counter Signed by
Consultant/ SAE/LCI, BREB/AJE/JE, PBS	AE, BREB/ AGM(E&C)/AGM(O&M)/ DGM(Tech), PBS	XEN, BREB/ Sr. GM/ GM, PBS

BANGLADESH RURAL ELECTRIFICATION BOARD

PBS Instruction 100-12: FUNCTIONS OF BREB/PBS ENGINEERS/ OFFICERS/
INSPECTORS FOR ONSTRUCTION OF ELECTRIC NETWORK SYSTEM
AND CIVIL WORKS

Date of Origin Revised by Approved by Page No. Revision No.
07/03/1979 BREB BREB Board Page 8 of 10 3

Revision Date: 14/11/1996, 01/09/2013, 19/02/2020

(Md Mozibur Rahman)
'ansultant TAPP BREF

(Md Duhidul Islam) onsuitant TAPP BRE (Md Mozammei Huq) onsultani TAPP BREF (Md Abdul Khaleque) Consultant TAPP BREP

(Md. Ansanul Haque) Consultant TAPP BREB

(Debasish Chakrabortty) PD, TAPP, BREB ৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Kamrul Ahsan Mollik) Asst. Secv. (Board), BREB.

## BANGLADESH RURAL ELECTRIFICATION BOARD

BREB Form No. 100-12-01 (Version-1)

Page 1 of 2

	(Civil and Mechanical Items Inspection for closing-out purpose)
PBS:	, W/O No,
	, Name of Work:

Sl No.	List of Inspected Items	Satisfactory and Acceptable	Not Satisfactory (Needs Compliance)	Remarks
01	Foundation including Piling			
02	Great Beam			
03	Column			
04	Floor Casting			
05	Brick Work			
06	Plaster			
07	Tiles/ Mosaic			
08	Paint			V.
09	Water Reservoir Tank		X	
10	Overhead Water Tank	1		
11	Septic Tank & Soak Well	73.		
12	Drain Apron			
13	Sanitary Works	IV.		
14	Water Line & Plumbing			
15	Deep Tube Well & Pump House			
16	Water Supply Line Connection			
17	Gas Connection			
18	Electrical Wiring			1
19	Electrical Fittings			
20	Grill			
21	Window Glass Fitting			-
22	Door	•		
23	Polishing of Wooden Items			

PBS Instruction	100-12: FUNCTIO	URAL ELECTRIFI ONS OF BREB/PBS TRUCTION OF ELE	ENGINEERS/ OF	FICERS/
ANID CI	VIII WODES			
AND CI Date of Origin	VIL WORKS  Revised by	Approved by	Page No.	Revision No

(Md. Moziour Rahman)
Consultant TADO DDEP

(Md. Ahsanul Haque)

(Md. Duhidul Islam)

(Debasish Chakrabortty)
PD.TAPP BREB

(Md: Mozammel Huq)

(Md. Abdul Khaloque) (Md. Austhul Hadde) BREB Consultant TAPP BREB

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Kanirul Ahsan Mollik)
Aser (Board) Danse

SI No.	List of Inspected Items	Satisfactory and Acceptable	Not Satisfactory (Needs Compliance)	Remarks
24	Lime Terracing			
25	Security Wall of Top Floor			
26	Stair Handle			
27	Generator Connection			
28	Sub-Station Connection			
29	Kitchen Room Fittings			
30	Bath Room Fittings			
31	Boundary Wall			
32	Security Post			
33	Guard Shade			
34	Main Gate		,	
35	Approach Road			
36	Lift			
37	Others-1			
38	Others-2			
39	Others-3			
40	Others-4			

Inspected by Consultant// SAE/LCI, BREB//AJE/JE, PBS Certified by
AE, BREB/ AGM(E&C)/AGM(O&M)/
DGM(Tech), BREB

Counter Signed by XEN, BREB// Sr. GM/ GM, PBS

PBS Instruction INSPEC	100-12: FUNCTION TORS FOR ONST	URAL ELECTRIFI ONS OF BREB/PBS TRUCTION OF ELI	S ENGINEERS/ OF	FICERS/ K SYSTEM
AND CI Date of Origin	VIL WORKS Revised by	Approved by	Page No.	Revision No.
07/03/1979	BREB	BREB Board	Page 10 of 10	2

(Md. Mozibur Rahman) Consultant TAPP BREB

(Md. Duhidul Islam) Insultant TAPP BRE (Md Duning) (Md Mozamine) (Md

(Md. Abdul Khaleque)
Consultant TAPD RREP

(Md. Ansanui Haque) Consultant, TAPP, BREB

(Debasish Chakrabortty)

৬২১ তম বোর্ড সভায় অনুমোদিত সিদ্ধান্ত নং ১৭৭০০

(Kamirul Ahsan Mollik)